

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	1479	702/189,193,194,195,106,57,64,for.106,for.110,for.135.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:05		
2	BRS	5141	341/118,120,155,143.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:15		
3	BRS	5970	341/118,120,138,155,143,158,169,170.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:44		
4	BRS	42	low with (power or voltage) and differential with comparators with converter with (reference or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:42		
5	BRS	1151	324/207.12,207.19,207.23,207.24.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:44		
6	BRS	1073	340/870.31,870.35,870.39.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:44		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
7 BRS 0		signal with (processing or process) with transducer and buton with battery with "1.5 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:29		
8 IS&R 2		("5459427").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:34		
9 BRS 0		signal with process\$3 with transducer\$1 with low with power with "1.5 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:24		
10 BRS 0		signal with process\$3 with low with power with "1.5 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:36		
11 BRS 1		signal with process\$3 with low with power with "1.75 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:36		
12 BRS 3		signal\$1 with process\$3 and low with power with "1.75 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:39		

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
13	BRS	35	signal\$1 with process\$3 and low with power with "1.5 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:21		
14	BRS	6	signal\$1 with process\$3 and low with power with "1.5 volts" and transducer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:19		
15	BRS	1	signal\$1 with process\$3 and portable with low with power with "1.5 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:24		
16	BRS	3	signal\$1 with process\$3 and portable with low with power with "3 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:25		
17	BRS	2	signal\$1 with process\$3 and portable with low with power with below with "3 volts"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:27		
18	BRS	177	signal\$1 with process\$3 and portable with low with power with suppl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:28		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
19 BRS	91	signal\$1 with process\$3 and portable with low with power with suppl\$3 and volt\$1	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:28 IBM_TDB			
20 BRS	22	signal\$1 with process\$3 and portable with low with power with suppl\$3 and volt\$1 and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:37 IBM_TDB			
21 BRS	17	signal\$1 with process\$3 and (portable or hand-held) with electronic with caliper	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:38 IBM_TDB			
22 BRS	3	signal\$1 with process\$3 and (portable or hand-held) with electronic with caliper and low with power	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:40 IBM_TDB			
23 BRS	110	signal\$1 with process\$3 and (portable or hand-held) adj low adj power	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:41 IBM_TDB			
24 BRS	1	signal\$1 with process\$3 with (portable or hand-held) adj low adj power	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:41 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
25 BRS	39	signal\$1 with process\$3 and (portable or hand-held) adj low adj power and volt\$1	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:42 IBM_TDB			
26 BRS	0	signal\$1 with process\$3 and (portable or hand-held) adj low adj power adj suppl\$3 and volt\$1	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:43 IBM_TDB			
27 BRS	1	signal\$1 with process\$3 and (portable or hand-held) adj low adj power adj suppl\$3	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:43 IBM_TDB			
28 BRS	188	signal\$1 with process\$3 and (portable or hand-held) with low with power with suppl\$3	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:44 IBM_TDB			
29 BRS	171	signal\$1 with process\$3 and (portable or hand-held) with low with power with suppl\$3 and (voltage\$1 or volt\$1)	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:45 IBM_TDB			
30 BRS	171	signal\$1 with process\$3 and (portable or hand-held) with low with power with suppl\$3 and (voltage\$1 or volt\$1)	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:45 IBM_TDB			

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
31	BRS	27	signal\$1 with process\$3 and (portable or hand-held) with low with power with suppl\$3 and (voltage\$1 or volt\$1) and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:03 IBM_TDB			
32	BRS	4	signal\$1 with process\$3 and (portable or hand-held) with battery with low with power with suppl\$3 and (voltage\$1 or volt\$1) and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:52 IBM_TDB			
33	BRS	108	signal\$1 with process\$3 and battery with low with power with suppl\$3 and (voltage\$1 or volt\$1) and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 14:54 IBM_TDB			
34	BRS	15	signal\$1 with process\$3 and battery with low with power with suppl\$3 and "0.3 volts" and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:02 IBM_TDB			
35	BRS	14	signal\$1 with process\$3 and (portable or hand-held) with measur\$3 and low with power with suppl\$3 and (voltage\$1 or volt\$1) and adc	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:20 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
36	BRS	1651	702/189,193,194,195,106,57 ,64,for.106,for.110,for.13 5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:05		
37	BRS	5442	341/118,120,155,143.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:15		
38	BRS	2	"20020084927"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:19		
39	BRS	12	signal\$1 with process\$3 and (portable or hand-held) with measur\$3 and low with power with suppl\$3 and (voltage\$1 or volt\$1) and adc and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:25		
40	BRS	8	signal\$1 with process\$3 and (portable or hand-held) with measur\$3 and low with power with suppl\$3 and (voltage\$1 or volt\$1) with ("3.0" or "1.75") and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:30		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
41	BRS	8	signal\$1 with process\$3 and (portable or hand-held) with measur\$3 and low with power with suppl\$3 and (voltage\$1 or volt\$1) with ("3.0" or "1.75")	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:32 IBM_TDB			
42	BRS	8	signal\$1 with process\$3 and (portable or hand-held) with measur\$3 and low with power with suppl\$3 and (voltage\$1 or volt\$1) with ("3.0" or "1.75" or "1.35")	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:32 IBM_TDB			
43	BRS	10	signal\$1 with process\$3 and (portable or hand-held) with low with power with suppl\$3 and (voltage\$1 or volt\$1) with ("3.0" or "1.75" or "1.35")	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:34 IBM_TDB			
44	BRS	108	signal\$1 with process\$3 and power with suppl\$3 and (voltage\$1 or volt\$1) with "1.75"	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:35 IBM_TDB			
45	BRS	4	signal\$1 with process\$3 and power with suppl\$3 with (voltage\$1 or volt\$1) with "1.75"	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:36 IBM_TDB			

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
46 BRS 3		signal\$1 with process\$3 and power with suppl\$3 with ("1.75" adj (voltage\$1 or volt\$1))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:17 IBM_TDB			
47 BRS 51		signal\$1 with process\$3 and power with suppl\$3 with suppl\$3 and ("1.75" adj (voltage\$1 or volt\$1))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:38 IBM_TDB			
48 BRS 20		signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 and ("1.75" adj (voltage\$1 or volt\$1))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:52 IBM_TDB			
49 BRS 6284		341/118,120,138,155,143,15 8,169,170.ccls.	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:44 IBM_TDB			
50 BRS 1246		324/207.12,207.19,207.23,2 07.24.ccls.	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:44 IBM_TDB			
51 BRS 1079		340/870.31,870.35,870.39.c cls.	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:45 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
52	BRS 3597	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 and (voltage\$1 or volt\$1) and (ADC or analog-to-digital or A/D or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:57 IBM_TDB			
53	BRS 3597	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 and (voltage\$1 or volt\$1) and (ADC or "analog-to-digital" or A/D or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:56 IBM_TDB			
54	BRS 3597	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 and (voltage\$1 or volt\$1) and (ADC or "analog-to-digital" or "A/D" or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:56 IBM_TDB			
55	BRS 654	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 and (voltage\$1 or volt\$1) and ADC	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:57 IBM_TDB			
56	BRS 403	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 with (voltage\$1 or volt\$1) and ADC	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:57 IBM_TDB			

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
57	BRS 2040	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 with (voltage\$1 or volt\$1) and (ADC or (analog-to-digital) or A/D or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:59 IBM_TDB			
58	BRS 2040	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 with (voltage\$1 or volt\$1) and (ADC or (analog-to-digital) or (A/D) or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:58 IBM_TDB			
59	BRS 902	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 with (voltage\$1 or volt\$1) and (analog-to-digital)	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 15:59 IBM_TDB			
60	BRS 77	signal\$1 with process\$3 and low with power with suppl\$3 with suppl\$3 with (voltage\$1 or volt\$1) with (ADC or (analog-to-digital) or A/D or (analog adj digital))	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:01 IBM_TDB			
61	IS&R 2	("4514476").PN.	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:01 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
62	BRS	1159	signal\$1 with process\$3 and low with power with suppl\$3 with supply with battery	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:18 IBM_TDB			
63	BRS	1159	signal\$1 with process\$3 and low with power with supply with battery	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:19 IBM_TDB			
64	BRS	98	signal\$1 with process\$3 and low with power with supply with battery and ADC	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:25 IBM_TDB			
65	BRS	8	signal\$1 with process\$3 with low with power with supply with battery and ADC	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:34 IBM_TDB			
66	BRS	0	signal\$1 with process\$3 with low with power with supply and (button adj battery)	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:36 IBM_TDB			
67	BRS	0	signal\$1 with process\$3 with low with power and (button adj battery)	USPAT; US-PGPUB; EPO; 2003/12/04 JPO; DERWENT; 16:35 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
68	BRS 8	signal\$1 with process\$3 and low with power with supply and (button adj battery)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:37		
69	BRS 87	signal\$1 with process\$3 with low with power with supply with battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:38		
70	BRS 8	signal\$1 with process\$3 with low with power with supply with battery and ADC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:39		
71	BRS 1	signal\$1 with processing with low with power with supply with battery and ADC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:39		
72	BRS 18	signal\$1 with low with power with supply with battery and ADC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:39		
73	BRS 43	low with (power or voltage) and differential with comparators with converter with (reference or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:44		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
74	BRS 2	low with power with supply and differential with comparators with converter with (reference or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:51		
75	BRS 2	(signal\$1 or data) with processing and low with power with suppl\$3 and differential with comparators with converter with (reference or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:53		
76	IS&R 2	("5528182").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:13		
77	IS&R 2	("5781051").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:13		
78	BRS 2	(signal\$1 or data) with processing and low with power with suppl\$3 and differential with comparators with converter with (reference or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:53		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
79 BRS	8658	(signal\$1 or data) with processing and low with power with suppl\$3 and (volt\$1 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:54		
80 BRS	5340	(signal\$1 or data) with processing and low with power with suppl\$3 with (volt\$1 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:55		
81 BRS	2	(signal\$1 or data) with processing and low with power with suppl\$3 with "1.75" adj (volt\$1 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:55		
82 BRS	114	(signal\$1 or data) with processing and low with power with suppl\$3 with "3" adj (volt\$1 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:55		
83 BRS	21	(signal\$1 or data) with processing and low with power with suppl\$3 with "1.5" adj (volt\$1 or voltage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:55		
84 BRS	2	"20020084927"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 12:02		

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definit ion
85 BRS	24	702/\$.ccls. and cmos with silicon	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:50 IBM_TDB			
86 BRS	1	702/\$.ccls. and fabricate\$1 with single with silicon with substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:53 IBM_TDB			
87 BRS	0	328/\$.ccls. and fabricate\$1 with single with silicon with substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:53 IBM_TDB			
88 BRS	998	fabricate\$1 with single with silicon with substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:54 IBM_TDB			
89 BRS	80	fabricate\$1 adj single adj silicon adj substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:56 IBM_TDB			
90 BRS	0	cmos adj fabricate\$1 adj single adj silicon adj substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 16:56 IBM_TDB			

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definitio
91	BRS 25	cmos with (fabricate\$1 adj single adj silicon adj substrate)	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 17:04 IBM_TDB			
92	BRS 0	mosfet with (fabricate\$1 adj single adj silicon adj substrate)	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 17:05 IBM_TDB			
93	BRS 0	(metal-oxide or mosfet) with (fabricate\$1 adj single adj silicon adj substrate)	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 17:05 IBM_TDB			
94	BRS 19	(metal-oxide or mosfet) with fabricate\$1 with single with silicon with substrate	USPAT; US-PGPUB; EPO; 2003/12/18 JPO; DERWENT; 17:19 IBM_TDB			
95	BRS 0	signal with process\$3 with transducer\$1 with low with power with ramp	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 08:25 IBM_TDB			
96	BRS 72	signal with process\$3 with transducer\$1 and low with power and ramp with signal	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 08:25 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
97 BRS	10	signal with process\$3 with transducer\$1 and low with power and ramp with reference with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:29		
98 BRS	0	differen\$4 with amplifier with compator with a/d with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:32		
99 BRS	95	differen\$4 with amplifier with comparator with a/d with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:32		
100 BRS	0	differen\$4 with amplifier with comparator with a/d with converter and low with power and ramp with signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:33		
101 BRS	0	differen\$4 with amplifier with comparator with a/d with converter and low with power and ramp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:33		
102 BRS	22	differen\$4 with amplifier with comparator with a/d with converter and low with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:33		

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
103 BRS	0	differeñ4 with amplifier with comparator with a/d with converter and low with power and ramp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:34		
104 BRS	2	differeñ4 with amplifier with comparator with a/d with converter and ramp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:33		
105 BRS	5	differeñ4 with amplifier with comparator and a/d with converter with ramp and low with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:06		
106 BRS	3	differeñ4 with amplifier with comparator and digital with converter with ramp and (low adj power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:38		
107 BRS	1	differeñ4 with amplifier with comparator and a/d with converter with ramp and (low adj (power or source or voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 08:41		
108 BRS	10	differeñ4 with amplifier with comparator and digit\$2 with converter with ramp with reference and low with (source or voltage\$1 or power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 09:04		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
		differeñ\$4 with amplifier with comparator and digit\$2 with converter with ramp with reference and low adj (supply or source or voltage\$1 or power)	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 09:39 IBM_TDB			
109 BRS	2	"20020084927"	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 10:06 IBM_TDB			
110 BRS	2	("6011389").PN.	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 10:06 IBM_TDB			
111 IS&R	2	(323/\$.cc1s. or 363/\$.cc1s. or 326/\$.cc1s.) and low adj power adj supply	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 14:45 IBM_TDB			
112 BRS	537	(323/\$.cc1s. or 363/\$.cc1s. or 326/\$.cc1s.) and low adj power adj supply with differential with signal\$1	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 14:53 IBM_TDB			
113 BRS	8	low adj power adj supply with differential with signal\$1	USPAT; US-PGPUB; EPO; 2003/12/23 JPO; DERWENT; 15:08 IBM_TDB			
114 BRS	37					

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
115 BRS	4	differe\$4 with amplifier with comparators and converter with ramp and low with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:07		
116 BRS	0	low with power with supply with differe\$4 with signal\$1 with comparators and ramp with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:09		
117 BRS	17	low with power with supply and differe\$4 with comparators and ramp with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 16:48		
118 BRS	1	transducer with signal\$1 with low with power and ramp with reference and comparator\$1 and digit\$2 with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:28		
119 BRS	292	low with power and ramp with reference and comparator\$1 and digit\$2 with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:28		
120 BRS	44	transducer with signal\$1 and low with power and ramp with reference and comparator\$1 and digit\$2 with converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:28		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
121 BRS	388	323/207,233.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 16:13		
122 BRS	380	363/65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 16:13		
123 BRS	469	low with power with supply with ("5 volt" or "5 volts")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 17:05		
124 BRS	0	low adj power adj supply adj ("5 volt" or "5 volts")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 16:56		
125 BRS	16	low adj power adj ("5 volt" or "5 volts")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 17:05		
126 IS&R	2	("4020487").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 17:05		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
127 BRS	58	low with power with supply with dc with ("5 volt" or "5 volts")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 10:30		
128 BRS	0	low with power with supply with dc with ("5 volt" or "5 volts") with comparator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 17:21		
129 BRS	17	low with power with supply with dc with ("5 volt" or "5 volts") and comparator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 17:21		
130 BRS	153	low with power with supply with dc with ac with volt\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 09:58		
131 BRS	37	(323/\$.ccls. or 326/\$.ccls. or 363/\$.ccls. or 327/\$.ccls.) and low with power with supply with dc with ac with volt\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 09:59		
132 BRS	18	low with power with supply with dc with ac with ("5 volt" or "5 volts" or "5 V")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 10:07		

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
133 BRS	88	low with power with supply with dc with ("5 volt" or "5 volts" or "5 v")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 10:31		
134 BRS	493	low adj power adj supply adj voltages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 12:58		
135 BRS	2410	low adj power adj supply adj voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 12:56		
136 BRS	4	low adj power adj supply adj voltages with 1.8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 12:57		
137 BRS	27	low adj power adj supply adj voltages with (1.8 or 3.0 or 3.5 or 3.3 or 2.5 or 1.2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 12:59		
138 BRS	101	low adj power adj supply adj voltage\$1 with (1.8 or 3.0 or 3.5 or 3.3 or 2.5 or 1.2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/24 12:59		